

aluplast®



aluplast® - Specialist for window and door systems

neo view

new





www.aluplast.net

new

neo view

Discover neo view, our modular window system designed to meet individual needs, with a clear focus on design, light, and sustainability.

neo view: The newest addition to the neo platform, offers modular solutions for windows and doors. Its versatility allows for customization, while its minimalist design appeals to architects and builders alike. Featuring a slim 102 mm middle section and an aludec surface, neo view serves as a compelling alternative to aluminum windows. Fully recyclable, it is an environmentally friendly choice. The low profile, concealed sash, and partially plastered installation contribute to an almost frameless appearance, maximizing natural light in the room.



Discover a new level of elegance

neo view

+ neo view sash neo view frame

- $U_f = 1,1 \text{ W/m}^2\text{K}$
- $U_w = 0,84 \text{ W/m}^2\text{K}^{1)}$
- $U_w = 0,65 \text{ W/m}^2\text{K}$
best possible
variant²⁾

+ neo view sash neo frame

- $U_f = 1,1 \text{ W/m}^2\text{K}$
- $U_w = 0,85 \text{ W/m}^2\text{K}^{1)}$
- $U_w = 0,68 \text{ W/m}^2\text{K}$
best possible
variant²⁾

▪ + neo view sash neo threshold

- $U_f = 1,2 \text{ W/m}^2\text{K}$
- $U_w = 0,95 \text{ W/m}^2\text{K}^{1)}$
- $U_w = 0,76 \text{ W/m}^2\text{K}$
best possible
variant²⁾

- safetec inside (central web)
- up to RC2 burglary protection
- up to 48 dB sound insulation (sound insulation class 5)
- glazing with packages up to 62 mm
- available with a wide range of surfaces
- various carrier colours available
(white, dark grey, dark brown, ochre)
- concealed drainage is possible
- optional: bonding inside (adhesive technology)



+ neo view sash
neo view frame

1) with standard triple glazing $U_g = 0.6 \text{ W/m}^2\text{K}$ and $\Psi_{si} = 0.040 \text{ W/mK}$
2) with triple glazing with $U_g = 0.4 \text{ W/m}^2\text{K}$ and $\Psi_{si} = 0.030 \text{ W/mK}$



+ neo view sash
neo frame



+ neo view sash
neo threshold

The design solution for
contemporary architecture

Alternative to costly
aluminium windows

max. dimensions
1000 x 2500 mm (1-leaf)

20% more light than
comparable windows

ready for bonding



New level of elegance



Design

The neo view system blends seamlessly into modern architecture. The concealed sash meets the desire for narrow external views. With a slim centre section of just 102 mm, it allows for filigree interior design and, with its aludec finishes, offers a real alternative to aluminium windows.



Light

The very slim frame/sash combination allows 20% more light into the room than comparable standard windows. The result is a brighter, more inviting room that is more comfortable to live in.



Security

The clever aluplast solution for added security. As the third seal in the window frame, the all-round fixed centre bar not only improves thermal insulation values, but also prevents the sash from being pried open quickly.



Environment

neo view is fully recyclable and, with its aludec finish, offers an environmentally friendly alternative to aluminium windows. It combines aesthetics and sustainability, making it an attractive choice for environmentally conscious builders.



aluplast® – Specialist for window and door systems

aluplast GmbH is one of the leading system providers of PVC windows, main entrance doors, roller shutters and controlled domestic ventilation systems. The family-owned company headquartered in Karlsruhe was founded in 1982 by Manfred J. Seitz. Today, aluplast has 10 production sites worldwide and customers in more than 80 countries. With its wide product portfolio, the company offers almost any possible window construction and variation. Its success is based above all on the company's market proximity that always results in pioneering innovations.

Learn more at www.aluplast.net